

Notice of Allowability

Application No.

10/658,690

Applicant(s)

YOSHIMURA ET AL.

Examiner

Art Unit

Adam R. Giesy

2651

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 6/24/2005.
2. ☒ The allowed claim(s) is/are 1-24.
3. ☒ The drawings filed on 24 June 2005 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

DETAILED ACTION

Drawings

1. The drawings were received on 6/24/2005. These drawings are acceptable.

Allowable Subject Matter

2. The following is an examiner's statement of reasons for allowance:

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Claims 1-24 are allowed over prior art of record.

Independent claim 1 is allowed since the claim recites a method of magnetic transferring in which an origin is determined on the magnetic recording medium, and rotationally alignable alignment marks are provided on both sides of the recording medium and aligned with the master disc before recording. The closest prior art by Matsuda et al (US Pat. No. 6,721,113 B2) discloses positioning marks on a recording medium used in magnetic transfer recording. Matsuda fails to disclose alignment marks on both sides of the recording medium and also fails to disclose a rotationally alignable mark.

Claims 2-15, 23, and 24 are allowed as being dependent upon the aforementioned independent claim.

Independent claim 16 is allowed since the claim recites a magnetic transfer device in which a master disc has an alignment mark on at least one side and a

Art Unit: 2651

magnetic recording medium has rotationally alignable alignment marks on both sides, wherein the magnetic recording medium is aligned with the master disc. The closest prior art by Matsuda et al (US Pat. No. 6,721,113 B2) discloses positioning marks on a recording medium used in magnetic transfer recording. Matsuda fails to disclose alignment marks on both sides of the recording medium and also fails to disclose a rotationally alignable mark.

Claims 17-22 are allowed as being dependent upon the aforementioned independent claim.

Conclusion

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

a. Kamatani et al. (US Pat. No. 6,906,875 B2) discloses a magnetic transferring method in which the discs are aligned with regard to the center of the disc in a holder.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Adam R. Giesy whose telephone number is (571) 272-7555. The examiner can normally be reached on 8:00am- 4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David R. Hudspeth can be reached on (571) 272-7843. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 10/658,690
Art Unit: 2651

Page 4

ARG 8/25/2005



DAVID HUDSPETH
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600